

INTERNATIONAL REGULATORS' FORUM




“Enhancing Efficiency to Reduce Operational Costs for Competitive Tariff”



Vijay L Sonavane
Member, MERC Mumbai
11th OCT. 2011

Edison's Dream

“We will make electricity so cheap that only the rich will burn candles”




- *Thomas Alva Edison*

(1847 - 1931)

Enhancing Efficiency to Reduce Operational Costs for Competitive Tariff

Agenda...



- Indian/Maharashtra Power system: Basic issues
- Enhancing EE: Supply side & Consumer use side
- EE/DSM: Maharashtra Case studies : FTL/EE Fans/A.C.
- Reducing operational cost by Mumbai DR scheme
- EE/DSM Learning from US tour (June 2011)
- Conclusions

Indian Power Sector

- **First power station commissioned at Darjeeling on 18th Nov 1898 (3x65 KW)**
- **No. of customers: Over 140 Million**
- **Revenue: Rs 350,000 CR/year**
- **Use: Industries: 42%, Domestic: 25%, AG: 24%, RLY: 3%**
- **Electricity Act 2003: Manifesto for Reforms**
- **India: 5th Largest electricity utilizing country next to USA, China, Japan, UK. By 2014 we will be fourth**



Indian Power Sector: Challenges


- High Dist Losses (about 25%)
- Enhancing Efficiency of G/T/D Sector to Reduce Operational Costs for Competitive Tariff
- *Commercial viability of IND sector*
- Promotion of market (Competition)
- Promote DSM/EE activities/ RE Gen.
- Open access/ Parallel Dist Licensee/ Cross Subsidy Reduction



Maharashtra System



- Area :308,000 Sq. km, (112 M)
- Daily Demand met: 325-355 MU
- 4 DL, 3 GENCO, 4TRANSCO
- Dist Loss: Mumbai: 9.5% DL
- MSEDCL: Dist: 17.28% (17% LR:8 years)
- 400 KV Rings & 765 KV Network WIP
- DF at Bhiwandi/Nagpur & A'bad
- Mumbai Choice of DL for customers
- 21 Million Customers/2.5 Million Ag
- ARR: \$ 10,000(+) Million
- Demand Growth: 8%





India: Population Census 2011

- Population: 1210 Million (PA Growth: 1.76%) Literacy: 74%
- 2.4% World Surface area & 17.5% population, (R) : 69% (U): 31%
- Population growth: 1951: 380 M 2011: 1210 M (3.2 times)
- Food grain growth: 1951: 51 MT 2011: 218 MT (4.3 times)
- Young India: 50% Indians are below 25 years' age : Employment generation: in IND & Service Sectors: top priority.
- These sectors are dependent on Power.
- If electricity tariff for IND sector is less, IND growth will give rise to more employment generation.
- Electricity pricing, growth of economy & employment generation are interlinked. Regulators' Concern: Competitive tariff

Breakup of Electricity tariff (FY 2010-11)

Fuel Cost
Rs. 1.87 PU

Variable Cost **MERC**
Mahagenco Units =
Rs.1.82 PU
Total Generation Cost=
Rs.2.67 PU




Rs. 2.89 PU
Transmission Cost =Rs.0.22 PU

Rs. 4.55 PU
Distribution Cost
Rs.0.76 PU
cost of T&D
losses: Rs.0.90PU

Expenditure incurred on G/T/D is borne by Dist Consumers through Retail Tariff

Breakup of Average Cost of Supply (tariff)

Average Cost of Supply (Rs. 4.55/kWh) for MSEDCL for FY 2010-11



Operational Cost: 59% Fuel cost: 41%

Fuel:	187	(41%)
Gen:	80	(18%)
Trans:	22	(4%)
Dist:	76	(17%)
T&D L:	90	(20%)
TTL:	455	

Thought for the Day...



**“When Problem Persists,
The Solution Exists”**


Solution: Efficiency improvement

Thermal Power Plants: Factors affecting tariff...

- Increase in I/P cost for coal production & CPI/WPI
- CAPEX for new mines & modernization of existing mines for augmentation
- HI Coal Transit loss/ Coal theft in Gen Stations
- HI Auxiliary Consumption
- Higher consumption of Sec Oil
- Increased use of imported coal (15%)
- Hi Transit loss of Coal (Transportation)
- Loss of Coal fuel at GEN station Coal yards due to thefts & pilferages



Rising International Coal prices Indonesia



HIGH Dist. Losses

- Com. losses due to theft on L.T. O/H System
- High HT/LT ratio (1: 2.3)
- Loss on account of faulty meters
- Losses due to billing inefficiencies: EA
- Losses due to overloading of system
- Faulty/ Slow/ stopped meters: AMR/TOU
- Regular Theft Detection Drives: HVDS
- Distribution Franchisee
- IT Initiatives/ Accountability
- MSEDCL: 17.28% Mumbai System: <10%

सावधान:
बिजली चोरी एक दण्डनीय अपराध है!

BSES YAMUNA
BSES Yamuna Power Limited
Reg. Of. Bhamburda Building, Connaught Place, Delhi-110028.

BSES RAJDHANI
BSES Rajdhani Power Limited
Reg. Of. 202/2020, Bhamburda Building, Connaught Place, Delhi-110028.

A JOINT VENTURE OF RELIANCE ENERGY LIMITED WITH GOVT. OF NCT, DELHI.

Action Plan: Dist Loss Reduction

“Meter Out”:

- Meter in box on outer wall of house
- Main service wire to be visible

HVDS : North American Practice:

- Replacing existing LT line with HT line & existing DT nearer to loads.
- Reduces Tech. loss & better VR
- In areas with theft and pilferage

Photo Metering: To ensure proper billing:

- Photograph of Meters taken &
- Image pasted on energy bill

महाराष्ट्र स्टेट इलेक्ट्रिसिटी डिस्ट्रीब्यूशन कंपनी लि.
वीज आकार देवक

महा वितरण

कल्याण क्षेत्र देवक ई मंडळ (आज कायदाद्वारे क्षेत्राचा वेवसाय) (www.mahadist.com) अशाचा शाखा कार्यालयी कल्याण क्षेत्र देवक.

वीज आकार देवकाचा महिना **Aug-2007** मितली क्र. 4009 देवक दि. 17/08/07 देवक क्र. 1

आक क्र. 160250179747 युज क्र. 30701 5253222 वी. सो. : 3

नाम CHAREJA PRAKASH S FL-9

पत्ता 350A SOMVAR PETH SHREE APT PUNE पिन : 411011

मितली क्र. KASBA PETH SUB-DN. टेलीफोन नं. 26584211

वी. सो. / व्हा. + फोन-क्र. 0863832880 वी. वी. क्र. 4600035 पोल नं. 5956

श्रेणी RESH 1-PHASE दा. संकेत LT101 वी. वी. संकेत : 51

श्रेणी 4.00 KW मंडळ धार 4.00 KW पुरवठा तारीख : 03/07/01

मिटर क्रमांक	वातु रिडिंग	मागेल रिडिंग	गुणक अंतर	युनिट	समा. युनिट	एकूण वाज वार
9000048927	8232	9048	1	184	0	184

विवरण

विवरण	रु.	से.
मिटर आकार		30.00
वीज अक्षर		489.90
वीज तूट		85.23
शुभ अक्षर		14.72
अक्षर पुरवठा आकार		0.00
वीज बिलो कर		0.00
व्याज संपर्क देवकाची रकम		0.00
व्याज		0.00
केरिअर देव		0.00
इतर आकार		0.00
एकूण		608.85
निव्वट धकवाको / वना		1.10
समाधान रकम		0.00
अपघाती धकवाको		0.00
एकूण धकवाको / जमा		1.10
देवकाचे निव्वट रकम		609.95
पुरवठा देवक		610.00
मागेल पद्धतीचे दि. 09/08/07		850.00
सुरक्षित देवक		850.00

मागेल वीज वापर

माहिती	दि. 08	रकम
SEP-08	151	525
OCT-08	164	527
NOV-08	135	460
DEC-08	181	648
JAN-07	142	462
FEB-07	107	435
MAR-07	98	538
APR-07	180	598
MAY-07	232	858
JUN-07	120	78
JUL-07	182	638

विवरण

विवरण	रु.	से.
मिटर आकार		30.00
वीज अक्षर		489.90
वीज तूट		85.23
शुभ अक्षर		14.72
अक्षर पुरवठा आकार		0.00
वीज बिलो कर		0.00
व्याज संपर्क देवकाची रकम		0.00
व्याज		0.00
केरिअर देव		0.00
इतर आकार		0.00
एकूण		608.85
निव्वट धकवाको / वना		1.10
समाधान रकम		0.00
अपघाती धकवाको		0.00
एकूण धकवाको / जमा		1.10
देवकाचे निव्वट रकम		609.95
पुरवठा देवक		610.00
मागेल पद्धतीचे दि. 09/08/07		850.00
सुरक्षित देवक		850.00

विवरण

विवरण	रु.	से.
मिटर आकार		30.00
वीज अक्षर		489.90
वीज तूट		85.23
शुभ अक्षर		14.72
अक्षर पुरवठा आकार		0.00
वीज बिलो कर		0.00
व्याज संपर्क देवकाची रकम		0.00
व्याज		0.00
केरिअर देव		0.00
इतर आकार		0.00
एकूण		608.85
निव्वट धकवाको / वना		1.10
समाधान रकम		0.00
अपघाती धकवाको		0.00
एकूण धकवाको / जमा		1.10
देवकाचे निव्वट रकम		609.95
पुरवठा देवक		610.00
मागेल पद्धतीचे दि. 09/08/07		850.00
सुरक्षित देवक		850.00

Call centre Toll free No. 18002333435

CALL FOR 1 MONTHS (FR. 08)

विशेष संदेश



BEE Interventions: Reducing Energy Consumption


- 2002 BEE established. Appliance rating from Jan 2010
- Institutionalization of EE with market mechanism
- Bachat Lamp Yojana: to promote efficient lighting (CFL: 25% of ICL's consumption. Target: 6000 MW Gen capacity saving
- Buildings: EC Building Code launched in 2007 (new COM buildings with 500 KW CL)
- Star rating of Appliances: Thrust area of BEE: ceiling fans, TFL, DT, IND motors, A/C, Refrigerators
- AG: Replacing inefficient pump sets with EE Pump sets
- Municipal sector: EE Street lighting & PWW System

DSM: Action by utility: beyond Consumer's meter

- Capital Investment for TH PS: Rs 50 Million/MW
- Period for commissioning : 3-4 years
- Land/ Water/ fuel/ ENV & Forest clearances
- Unit saved is more than 1.5 Units generated

Wastage can be avoided Improving EU efficiency

- Lack of consumer awareness though initial costs are lesser (Rs 15 Million/MW)
- Non-availability of EE equipments (market)
- Regulators: to undertake measures in Pricing, incentivizing DSM, Encouraging participation of ESCO & making EE information available to consumers.



DSM Consultation Committee

- **MERC issued DSM Regulations & M&V Regulations 2010**
- **DSM CC: Nodal agency for driving DSM & for recommending DSM programs for approval of MERC.**
- **DSM CC: Secretary, MERC, Members : Representatives of all DL/ invitees from industry & Govt.**
- **Funding of DSM programs: being implemented by DL to be included in ARR**




DSM Pilot programs in Mumbai

- **Fluorescent TL with electronic chock : (Rs. 35 Million)**
Replacing 150,000 T12/T8 (60W) with T5 (31W)
(6 MU/Year saving). Rebate Rs.200 for Domestic &
Rs.150 for COM Customer
- **Ceiling fans: (Rs. 11 Million)**
 - Replacing 12,000 ceiling fans with EE 5 star Fans
 - 0.66MU/year Saving
- **Bulk procurement prices (including safe disposal of old units) at least 20% lower than market prices**
- **Higher warranties (utility-moderated) & utility rebate of close to 35% of first cost to consumers**


DSM Pilot Programs

- Replacement of 600 Nos. Room A/C → EE 5 Star A/C (Rs.5 Million): 203KW savings, 0.57 MU/year
- Modification in Chiller system in Centralized AC: 2000 TR, Rs.13 Million
- Replacement of IC Lamp with CFL: Pilot scheme *implemented in Nasik City (380,000)*: 8 MW Load Relief
- Program for large central AC users:
- Rs. 5000/TR rebate for shifted load/Retrofit program launched



Mumbai Load curve: Typical day

(For Mumbai Distribution Utility & Consolidated Mumbai)





DR Case study: Mumbai system



- **Peak load: 3200 (+) MW for 4-5 hours/day (1320 Hours/year)**
- **Base load: 1900 MW**
- **Mumbai (08-09) : PP Price: > Rs.15/KWH for 12 Hours**
Price > Rs.10/KWH for 678 Hours
Price > Rs. 8/KWH for 1112 Hours
- **Average Peak Power Purchase cost: Rs. 9.85/KWH.**
- **10% Dist losses. Cost at consumer end: Rs 10.95/KWH**
- **Comm. tariff: Rs 5.55 – 6.00 /KWH**
- **Consumer Tariff lesser than Peak PP cost**
- **Peak A/C Load: 1000 MW. Centralized AC DEMD 100 MW**
- **Impact of ACOS for other consumers : Rs.0.20 PU**

Demand Response: Mumbai SG Pilot



- DR can be initiated, when power rates are high
- DL requests for Load relief from Service Provider (SP).
- SP enrolls customers ready to reduce loads, when requested, by collecting NEGAWATTS (unit of power no longer needed) & customer gets paid for not using energy at Peak time.
- SP informs the consumers 1 Hour prior to start of DR event, which may last for Max. 2 Hours
- 2.5 MU curtailment (25MWx100 Hours): (Rs. 45 M)
- DL to pay for saved energy to SP
- Consumer to receive rebate for saved energy from SP

AG DSM Project in Maharashtra

- **3 Million AG consumers: 16% customers , 25% sale and 10% Revenue**
- **Replacement of 3530 AG pumps on four 11KV feeders with EE star rating Pumps/ foot valve/ Capacitor Banks**
- **Observation during survey: most pumps were replaced by higher capacity pumps without informing DL**
- **Replacement completed: 2012 Nos. Balance WIP.**
- **EE Pump set: 25% cost more. 5 years maintenance. 39% efficiency improvement to be assured.**
- **EA of Pumps /Farmers' education: Van , workshop**

Meeting with Dr. Arthur H Rosenfeld

Grand father of EE on 8th June 2011




- Born in 1927. Ph.D. (PHY) in 1954 University of CA Berkeley
- From 1974 in LBNL: focus on EE
- 94-99: Sr. Advisor to US DOE's Assistant Secretary for EE/RE
- In 2000, Dr.AR: Commissioner at CEC. In 2005, reappointed
- Retired from CEC in Jan 10 Web site: www.artrosenfeld.org
- USA per capita pa consumption: 12000(+) U, for CA: 7000(+)
- 3% DEMD growth; 1.5%: by DSM/EE, 1.5% by RE
- EE Savings in 2010: 40% in lighting/ 10% HVAC/ 12% in Refrigerators/ 12% Buildings. EE Refrigerator: 1800 U → 450U
- Dom. energy consumption due to TV rapidly increased from 3-4% in 1990s to 8-10% in 2008. EE TV being popularized



Golden Moment with Dr Arthur Rosenfeld
We will not forget in our lifetime

CA per capita consumption reduced

Per Capita Electricity Consumption



White roofs to cool our buildings, our cities & to cool the earth.

OLD



AC savings \approx 15%

flat, white



AC savings \approx 10%

pitched, white

NEW



AC savings \approx 5%

pitched, cool & colored

Google picture of Surface of Sacramento, CA shows:

- 20% roofs/30% vegetation
- 40% pavement

White roofs around the world... in Santorini, Greece



White roofs around the world...

In Hyderabad, India



**...and widely
in the state of
Gujarat, India.**

GLOBAL COOLING: making 100 m² (1000 ft²) of gray roofing white offsets the **emission** of 10 Tonnes of CO₂



Enhancing Efficiency: to Reduce Operational Costs for Competitive Tariff :

Conclusions

- 70% of DL's Expenses: PP. 70% of GENCO's Expenses: Fuel
- Control Factors: Coal Transit Loss/ AUX use/ Sec Fuel use/ T&D LR (MSEDCL: Loss Reduction of 17% in last 8 years)
- For DLR: Meter Out/ HVDS/ Photo Metering /ABC/ AMR
- *BEE: for institutionalization of EE/ Market development EEE*
- For reducing ENERRGY consumption: EE/DSM necessary
- DSM Regulations, M&V & DSM CC established by MERC
- To reduce Peak, DR program (SG) taken up in Mumbai
- Pilot AG DSM Project WIP: in Maharashtra
- CA's Per capita consumption gone down due to DSM
- DSM in US: Popular programs: EE Refrigerator Program/ EE TV
- Use of White roofs to cool roof: A/C reduces up to 15%

Finally...

-
- CA's Per capita consumption gone down due to DSM
 - DSM in US: Popular EE Refrigerator Program/ EE TV
 - Use of White roofs to cool our roof: A/C reduces up to 15%
 - **For reducing operational costs in retail tariff: It is essential to Enhance EE: FOUR SUCCESS PILLERS:**
 - Sustained Govt. Policy & Support is necessary
 - Adequate funding: Public & Private
 - Technology & Programs: Continuous Improvement
 - M& V of savings: Important but toughest activity
 - **WE HAVE TO GO A LONG WAY!!!**



**“If it is to be
It is up to me!!”**

Thank You !!

(Contact me: vlsonavane@gmail.com)