

**Availability At Daily Maximum Demand Hour**

ST-Coal	1,980	MW
ST-Gas	0	MW
ST-Oil	150	MW
Gas	4,386	MW
Hydro	1,892	MW
Distillate	60	MW
<b>Total TNB</b>	<b>8,468</b>	<b>MW</b>
<b>Total IPP</b>	<b>10,802</b>	<b>MW</b>
<b>Total Co-Gen</b>	<b>77</b>	<b>MW</b>
<b>System Total</b>	<b>19,907</b>	<b>MW</b>

**Set On Bus, TNB, IPP And MD**

At Daily Maximum Demand Hour : 14:30	
TNB Generation	5,776 MW
IPP Generation	8,003 MW
Total Set On Bus	14,961 MW
Maximum Demand	13,897 MW
Spinning Reserve	1,105 MW
Net Energy	293,353 MWH
Load Factor	88.0 %

**Maximum Demand Record**

<b>Date :</b>	09/05/2011	15,476.0 MW
<b>Date :</b>	10/05/2011	318,459.0 MWH

**Hourly System MW Generation**

	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
System Total	11709	11068	10463	10439	10162	10137	10562	10284	10936	12475	13219	13849	13646	13140	13608	13725	13835	13488	12767	12606	13415	13051	12442	11915

**Gas Usage**

Station	(mmscfd)
CBPS	52
GLGR	54
PAKA	39
PGPS	51
SRDG	2
TJGS	204
<b>TNB Total</b>	<b>402</b>
KLPP	102
MPSS	28
PGLA	91
PLPS	104
SGB3	90
SKSP	43
YPGS	68
YPKA	35
<b>IPP Total</b>	<b>560</b>
<b>Total Gas</b>	<b>962</b>
<b>Total Gas Required :</b>	<b>962</b>
<b>Gas Calorific Value :</b>	<b>38.500</b>

**Generation Mix**

Type	MWh	Percentage
ST-Coal	45,153.00	15.39 %
Gas	55,531.00	18.93 %
Hydro	18,814.00	6.41 %
<b>Total TNB</b>	<b>119,498.0</b>	<b>40.74 %</b>
ST-Coal	96,072.0	32.75 %
Gas	75,193.0	25.63 %
<b>Total IPP</b>	<b>171,265.0</b>	<b>58.38 %</b>
Co-Gen	2,047.0	0.70 %
<b>Total Co-Gen</b>	<b>2,047.0</b>	<b>0.70 %</b>
<b>Total Generation</b>	<b>292,810.0</b>	<b>99.81 %</b>
PLTG	156.0	0.05 %
HVDC	-699.0	-0.24 %
<b>Interconnection</b>	<b>-543.0</b>	<b>-0.19 %</b>
<b>Net Energy</b>	<b>293,353.0</b>	<b>100.00 %</b>

**Average SR During Peak Hour**

Type	MW
GT	598
Hydro	315
Syncon	147
Thermal	49
<b>Total</b>	<b>1109</b>

**Weather Temperature**

	Weather	Temperature
Morning	Cloudy	24
Afternoon	Cloudy	31

Station	Unit	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300																									
PKLG	U004	143	143	144	144	145	145	144	144	143	143	143	143	143	143	201	260	263	263	264	264	264	262	261	264	263	263	263	263	263	263	263	263	263	264	264	259	259	140	140										
PKLG	U005	357	360	359	359	359	357	358	359	359	359	358	358	358	358	436	462	463	463	462	462	465	461	465	462	462	462	462	462	462	462	462	462	462	462	460	460	461	461	370	370									
PKLG	U006	271	277	274	271	274	273	270	273	274	274	272	272	274	272	271	274	273	273	271	275	270	273	275	275	273	273	277	274	268	275	276	272	269	269	269	269	269	269	275	275	275	275	263	263					
JMUG	U001	552	552	552	552	552	552	552	552	548	548	548	586	586	586	586	586	621	677	677	677	677	617	671	671	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689	689					
JMUG	U002	552	552	552	552	552	552	552	552	552	552	570	589	589	589	589	589	607	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682	682				
JMUG	U003	535	535	535	535	535	535	535	535	535	535	554	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592	592				
TBIN	U001	546	551	551	551	447	446	446	398	399	399	401	401	416	496	498	498	604	606	693	693	693	693	693	693	693	694	694	695	695	691	696	690	690	690	690	696	696	694	694	694	694	695	689	691	661	638	634		
TBIN	U002	549	554	550	549	453	449	449	414	399	399	399	399	413	498	498	504	603	611	696	696	696	693	693	693	693	693	693	693	693	687	689	695	695	690	690	690	697	691	691	690	690	690	689	689	689	689	689		
TBIN	U003	551	552	550	551	447	450	451	402	403	403	401	401	417	500	502	501	604	617	697	694	696	694	695	693	694	696	695	695	694	697	694	695	696	695	696	693	699	695	694	697	695	694	697	695	694	662	660	639	
JMAH	U001	551	551	551	553	497	503	503	498	503	503	498	503	495	501	501	501	555	655	706	703	704	703	703	703	703	703	702	702	702	702	702	702	702	700	705	705	700	705	707	700	699	701	701	667	667	638			
JMAH	U002	551	551	556	555	498	503	504	504	504	503	503	503	504	503	503	503	558	654	696	702	696	704	700	707	701	703	700	702	703	709	703	700	700	707	697	710	698	717	694	700	697	701	702	711	703	663	662	641	
Total ST-Coal		5158	5178	5174	5172	4759	4767	4763	4630	4619	4619	4648	4748	4788	5041	5044	5048	5519	5869	6349	6434	6433	6439	6371	6433	6433	6432	6446	6449	6453	6445	6446	6438	6445	6450	6431	6449	6439	6469	6431	6441	6438	6436	6445	6447	6430	6281	6047	5926	
CBPS	GT1A	99	99	98	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	89		
CBPS	GT1B	100	99	91	90	91	91	91	90	91	91	91	91	90	91	91	91	91	91	91	91	99	102	100	100	100	100	100	100	99	99	99	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98
CBPS	ST1C	104	105	92	90	90	90	90	90	91	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	89	
GLGR	GT01	105	104	105	104	83	64	65	65	65	65	64	64	63	64	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	
GLGR	GT02	106	105	106	106	85	66	66	67	67	67	67	66	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	
GLGR	ST1C	100	100	100	100	100	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	
KLPP	GT11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLPP	GT12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KLPP	GT13	140	140	140	140	106	105	106	106	67	67	68	67	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	
KLPP	GT14	140	140	140	140	102	102	101	101	67	65	66	64	65	65	66	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
KLPP	GT15	140	140	140	140	107	107	106	107	107	67	67	66	66	68	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
KLPP	ST17	230	230	230	230	182	179	179	180	174	137	134	134	133	133	133	138	137	174	184	184	194	211	207	204	229	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230	230
MPSS	GT01	107	106	106	107	107	106	107	106	106	107	107	106	107	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	
MPSS	ST01	54	54	53	57	57	52	53	54	52	53	53	52	52	56	53	53	52	53	52	53	55	53	57	53	52	53	52	55	52	52	54	53	54	57	52	54	57	52	54	57	52	54	57	52	54	57	52	54	
PAKA	GT2A	79	79	61	60	61	61	61	62	62	60	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61		
PAKA	GT2B	89	90	59	59	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	60	
PAKA	ST2C	89	89	74	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	73	
PGLA	GT11	218	147	187	202	171	208	200	154	141	141	149	146	184	149	144	148	148	162	169	210	228	224	232	225	208	171	165	179	185	190	180	174	174	174	161	163	147	146	146	146	146	146	146	146	146	146	146	146	
PGLA	GT12	216	148	188	203	171	211	201	154	141	143	147	147	184	150	143	149	147	163	169	211	228	226	231	226	209	171	164	179	185	190	179	175	172	175	161	164	142	148	146	146	146	146	146	146	146	146	146	146	146
PGLA	ST10	228	188	214	221	201	224	218	191	186	188	194	186	201	188	188	194	200	206	205	218	239	241	241	240	231	211	199	206	214	216	208	206	206	205	199	200													

Station	Unit	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300																										
TJGS	GT1B	194	214	201	191	217	214	196	218	216	214	219	212	220	222	216	222	205	220	220	219	217	215	224	208	200	190	192	203	216	212	202	208	222	222	222	222	204	183	187	210	210	210	173	173	134	137	185	170		
TJGS	ST1C	238	245	245	219	243	246	236	246	238	245	256	230	256	252	253	254	242	253	256	253	250	257	253	250	240	224	223	238	251	250	247	242	259	259	259	259	259	252	235	224	244	244	214	214	194	186	198	207		
TJGS	GT2A	193	219	202	194	210	220	194	220	217	216	221	219	220	218	219	219	211	220	220	216	215	213	215	208	199	198	188	204	214	213	202	213	213	215	216	204	185	162	187	219	220	185	185	141	153	204	192			
TJGS	GT2B	189	217	197	190	207	219	192	217	214	214	218	220	216	218	215	216	205	218	217	214	212	209	217	204	195	192	185	202	214	209	199	214	214	214	214	217	200	179	160	183	217	220	181	181	137	147	200	188		
TJGS	ST2C	245	261	253	243	261	259	245	264	248	259	262	253	263	262	261	264	248	262	262	262	261	260	261	264	259	252	251	244	252	262	262	254	262	263	263	264	264	254	242	229	231	266	265	240	240	222	217	244	244	
Total CCGT-Gas		5945	5712	5607	5600	5459	5553	5345	5366	5206	5146	5176	5121	5460	5219	4930	5036	4899	5102	5433	5660	5824	6106	6269	6132	5990	5703	5627	5804	5978	6026	5898	5902	5963	5974	5837	5691	5372	5264	5213	5377	5439	5442	5180	5042	4744	4665	4728	4532		
SRDG	GT04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total OCGT-Gas		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BSIA	HY01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BSIA	HY02	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	
BSIA	HY03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CEND	HY01	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
CEND	HY03	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
KNRG	HY02	30	30	30	30	30	30	30	31	31	30	30	30	30	31	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	
KNYR	HY01	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1		
KNYR	HY02	100	60	63	54	54	54	62	66	61	63	66	64	70	64	64	65	57	70	61	57	60	61	92	66	62	66	66	69	64	61	60	60	60	63	55	0	0	0	0	102	98	95	92	93	87	99	78	104		
KNYR	HY03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
KNYR	HY04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LPIA	HY01	18	18	18	16	15	15	15	15	15	15	15	15	15	18	18	18	18	18	18	18	18	19	19	19	19	19	19	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21		
LPIA	HY02	17	17	19	18	18	18	18	18	18	18	18	18	18	18	18	18	18	18	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	21	
MNOR	HY01	7	7	7	7	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
PGAU	HY01	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1		
PGAU	HY02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PGAU	HY03	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1		
PGAU	HY04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SIHY	HY01	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SIHY	HY02	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SIHY	HY03	50	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SYPS	HY01	25	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SYPS	HY02	25	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SYPS	HY03	25	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SYPS	HY04	25	25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TMGR	HY01	0	0	0	0	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1	-1		
TMGR	HY02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TMGR	HY03	29	31	30	29	31	31	33	31	31	32	32	35	32	32	32	32	29	32	30	28	30	30	35	-1																										

Station Unit	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300																											
Interconnection	-40	-55	-2	-4	21	-18	-59	-40	-62	-46	-34	-75	-32	-36	-34	-83	-28	-94	-26	28	-32	11	9	-78	-76	-19	35	-51	-61	-41	2	-11	-39	-23	40	-48	-5	1	12	-12	-81	16	-13	74	79	134	105	-64			
<b>System Total</b>	<b>11709</b>	<b>11474</b>	<b>11068</b>	<b>11042</b>	<b>10463</b>	<b>10601</b>	<b>10439</b>	<b>10316</b>	<b>10162</b>	<b>10085</b>	<b>10137</b>	<b>10222</b>	<b>10562</b>	<b>10591</b>	<b>10284</b>	<b>10448</b>	<b>10936</b>	<b>11575</b>	<b>12475</b>	<b>12887</b>	<b>13219</b>	<b>13584</b>	<b>13849</b>	<b>13822</b>	<b>13646</b>	<b>13261</b>	<b>13140</b>	<b>13417</b>	<b>13608</b>	<b>13897</b>	<b>13725</b>	<b>13738</b>	<b>13835</b>	<b>13739</b>	<b>13488</b>	<b>13168</b>	<b>12767</b>	<b>12484</b>	<b>12606</b>	<b>13226</b>	<b>13415</b>	<b>13300</b>	<b>13051</b>	<b>12834</b>	<b>12442</b>	<b>12336</b>	<b>11915</b>	<b>11856</b>			
SRev ST-Coal	635	629	632	635	632	633	636	633	632	632	616	578	575	575	577	578	575	409	100	58	59	53	115	57	57	58	44	41	37	45	44	52	45	40	59	41	51	21	59	49	52	54	45	43	60	209	279	400			
SRev ST-Oil	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SRev CCGT-Gas	401	634	739	746	887	793	1001	980	1140	1200	1170	1225	886	1127	1416	1310	1451	1248	917	690	526	244	201	338	480	767	843	666	492	444	572	568	507	496	633	659	978	1086	1137	973	911	908	1170	1308	1606	1685	1622	1548			
SRev OCGT-Gas	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SRev Distillate	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SRev Co-Gen	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Syncon	494	494	494	494	580	580	580	580	430	580	580	580	580	429	580	580	580	580	278	172	172	278	278	278	278	278	278	278	278	278	172	172	172	172	172	172	278	278	580	193	87	87	87	87	87	87	87	86	86	86	
Hydro	93	131	127	138	136	136	128	121	128	127	123	125	115	254	125	121	208	193	342	504	543	419	376	420	449	384	383	377	373	403	412	408	401	407	331	295	325	222	305	198	117	135	160	155	225	129	331	241			
<b>S.Reserve Total</b>	<b>1623</b>	<b>1888</b>	<b>1992</b>	<b>2018</b>	<b>2240</b>	<b>2147</b>	<b>2350</b>	<b>2319</b>	<b>2335</b>	<b>2544</b>	<b>2494</b>	<b>2513</b>	<b>2161</b>	<b>2390</b>	<b>2703</b>	<b>2594</b>	<b>2819</b>	<b>2430</b>	<b>1637</b>	<b>1424</b>	<b>1300</b>	<b>994</b>	<b>970</b>	<b>1093</b>	<b>1264</b>	<b>1592</b>	<b>1653</b>	<b>1467</b>	<b>1285</b>	<b>1105</b>	<b>1235</b>	<b>1236</b>	<b>1160</b>	<b>1115</b>	<b>1195</b>	<b>1483</b>	<b>1842</b>	<b>2119</b>	<b>1799</b>	<b>1307</b>	<b>1167</b>	<b>1184</b>	<b>1462</b>	<b>1593</b>	<b>1978</b>	<b>2109</b>	<b>2318</b>	<b>2275</b>			