

**Availability At Daily Maximum Demand Hour**

ST-Coal	2,070	MW
ST-Gas	0	MW
ST-Oil	140	MW
Gas	3,170	MW
Hydro	1,780	MW
Distillate	790	MW
<b>Total TNB</b>	<b>7,950</b>	<b>MW</b>
<b>Total IPP</b>	<b>10,827</b>	<b>MW</b>
<b>Total Co-Gen</b>	<b>53</b>	<b>MW</b>
<b>System Total</b>	<b>18,830</b>	<b>MW</b>

**Set On Bus, TNB, IPP And MD**

At Daily Maximum Demand Hour : 15:00		
TNB Generation	6,479	MW
IPP Generation	8,961	MW
Total Set On Bus	16,478	MW
Maximum Demand	15,483	MW
Spinning Reserve	985	MW
Net Energy	321,855	MWH
Load Factor	86.6	%

**Maximum Demand Record**

Date :	20/06/2012	15,826.0 MW
Date :	20/06/2012	328,716.0 MWH

**Hourly System MW Generation**

	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
System Total	12865	12311	11849	11477	11147	10992	11081	11236	11593	13349	14296	14930	14972	14573	15152	15483	15478	15072	13893	13418	14712	14553	14211	13688

**Gas Usage**

Station	(mmscfd)
CBPS	47
GLGR	58
PAKA	184
SRDG	9
TJGS	125
<b>TNB Total</b>	<b>423</b>
KLPP	26
MPSS	62
PGLA	58
PKLG	15
PLPS	83
SGRI	116
SKSP	39
YPGS	35
YPKA	104
<b>IPP Total</b>	<b>537</b>
<b>Total Gas</b>	<b>960</b>

Total Gas Required : 1,379  
Gas Calorific Value : 38.500

**Alternate Fuel Usage**

Station	(mmscfd)
KLPP	50
PDPS	22
PGLA	36
PGPS	51
PKLG	117
PLPS	13
PTEK	17
SGRI	71
SRDG	42
<b>Total</b>	<b>419</b>

**Generation Mix**

Type	MWh	Percentage
ST-Coal	49,490.00	15.38 %
Gas	54,029.00	16.79 %
Hydro	19,040.00	5.92 %
Distillate	9,868.00	3.07 %
<b>Total TNB</b>	<b>132,427.0</b>	<b>41.14 %</b>
ST-Coal	80,821.0	25.11 %
ST-Gas	1,689.0	0.52 %
ST-Oil	11,430.0	3.55 %
Gas	69,471.0	21.58 %
Distillate	25,253.0	7.85 %
<b>Total IPP</b>	<b>188,664.0</b>	<b>58.62 %</b>
Co-Gen	1,502.0	0.47 %
<b>Total Co-Gen</b>	<b>1,502.0</b>	<b>0.47 %</b>
<b>Total Generation</b>	<b>322,593.0</b>	<b>100.23 %</b>
PLTG	10.0	0.00 %
HVDC	728.0	0.23 %
<b>Interconnection</b>	<b>738.0</b>	<b>0.23 %</b>
<b>Net Energy</b>	<b>321,855.0</b>	<b>100.00 %</b>

**Average SR During Peak Hour**

Type	MW
GT	460
Hydro	312
Syncon	111
Thermal	39
<b>Total</b>	<b>923</b>

	Weather	Temperature
Morning	Sunny	27
Afternoon	Hot	35







Station	Unit	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300																								
Syncon		625	625	474	625	625	625	625	625	625	625	474	474	172	172	172	172	302	453	151	0	0	0	0	0	86	86	625	625	625	172	172	172	172	172	474	625	625											
Hydro		94	90	111	84	80	80	75	80	76	83	85	73	201	69	74	96	200	158	258	222	316	290	346	308	390	327	278	392	362	436	456	440	483	568	458	403	100	92	100	87	227	284	336	331	339	350	93	99
<b>S.Reserve Total</b>		<b>1527</b>	<b>1373</b>	<b>1357</b>	<b>1247</b>	<b>1400</b>	<b>1664</b>	<b>1797</b>	<b>1981</b>	<b>1962</b>	<b>2027</b>	<b>2117</b>	<b>2116</b>	<b>1801</b>	<b>1609</b>	<b>1681</b>	<b>2104</b>	<b>2015</b>	<b>1475</b>	<b>1197</b>	<b>1084</b>	<b>1132</b>	<b>1026</b>	<b>943</b>	<b>942</b>	<b>1028</b>	<b>1288</b>	<b>1352</b>	<b>1186</b>	<b>1015</b>	<b>1072</b>	<b>985</b>	<b>1090</b>	<b>1017</b>	<b>1113</b>	<b>1341</b>	<b>1104</b>	<b>1510</b>	<b>1558</b>	<b>1673</b>	<b>1525</b>	<b>1012</b>	<b>972</b>	<b>977</b>	<b>943</b>	<b>1187</b>	<b>1389</b>	<b>1291</b>	<b>1213</b>