

Availability At Daily Maximum Demand Hour

| | |
|---------------------|------------------|
| ST-Coal | 2,070 MW |
| ST-Gas | 70 MW |
| ST-Oil | 0 MW |
| Gas | 3,571 MW |
| Hydro | 1,857 MW |
| Distillate | 0 MW |
| Total TNB | 7,568 MW |
| Total IPP | 8,400 MW |
| Total Co-Gen | 87 MW |
| System Total | 16,055 MW |

Set On Bus, TNB, IPP And MD

| | |
|--------------------------------------|-------------|
| At Daily Maximum Demand Hour : 11:30 | |
| TNB Generation | 7,156 MW |
| IPP Generation | 8,095 MW |
| Total Set On Bus | 15,941 MW |
| Maximum Demand | 15,483 MW |
| Spinning Reserve | 603 MW |
| Net Energy | 323,154 MWH |
| Load Factor | 87.0 % |

Maximum Demand Record

| | | |
|---------------|------------|---------------|
| Date : | 13/05/2013 | 16,562.0 MW |
| Date : | 25/06/2013 | 345,254.0 MWH |

Hourly System MW Generation

| | 0000 | 0100 | 0200 | 0300 | 0400 | 0500 | 0600 | 0700 | 0800 | 0900 | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 | 2100 | 2200 | 2300 |
|--------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| System Total | 12584 | 11908 | 11536 | 11229 | 10819 | 10880 | 11149 | 11285 | 12032 | 13858 | 14655 | 15292 | 15333 | 15037 | 15274 | 15325 | 15309 | 14931 | 14069 | 14398 | 14641 | 14270 | 13686 | 13284 |

Gas Usage

| Station | (mmscfd) |
|------------------------------|---------------|
| CBPS | 77 |
| GLGR | 65 |
| PAKA | 200 |
| PGGS | 10 |
| PGPS | 63 |
| SRDG | 60 |
| TJGS | 111 |
| TNB Total | 585 |
| KLPP | 79 |
| MPSS | 59 |
| PDPS | 31 |
| PGLA | 57 |
| PTEK | 45 |
| SGB3 | 87 |
| SGRI | 218 |
| SKSP | 56 |
| YPGS | 68 |
| YPKA | 132 |
| IPP Total | 831 |
| Total Gas | 1,416 |
| Total Gas Required : | 1,533 |
| Gas Calorific Value : | 38.500 |

Alternate Fuel Usage

| Station | (mmscfd) |
|--------------|------------|
| PGGS | 4 |
| PGPS | 1 |
| PKLG | 109 |
| SGB3 | 4 |
| Total | 117 |

Generation Mix

| Type | MWh | Percentage |
|-------------------------|------------------|-----------------|
| ST-Coal | 49,575.00 | 15.34 % |
| ST-Gas | 1,642.00 | 0.51 % |
| Gas | 68,425.00 | 21.17 % |
| Hydro | 21,855.00 | 6.76 % |
| Distillate | 395.00 | 0.12 % |
| Total TNB | 141,892.0 | 43.91 % |
| ST-Coal | 60,983.0 | 18.87 % |
| ST-Oil | 10,561.0 | 3.27 % |
| Gas | 105,477.0 | 32.64 % |
| Distillate | 455.0 | 0.14 % |
| Total IPP | 177,476.0 | 54.92 % |
| Co-Gen | 2,043.0 | 0.63 % |
| Total Co-Gen | 2,043.0 | 0.63 % |
| Total Generation | 321,411.0 | 99.46 % |
| PLTG | -329.0 | -0.10 % |
| HVDC | -1,414.0 | -0.44 % |
| Interconnection | -1,743.0 | -0.54 % |
| Net Energy | 323,154.0 | 100.00 % |

Average SR During Peak Hour

| Type | MW |
|--------------|------------|
| GT | 360 |
| Hydro | 215 |
| Syncon | 197 |
| Thermal | 61 |
| Total | 832 |

Weather Temperature

| Weather | Temperature |
|-----------|-------------|
| Morning | Rainy 24 |
| Afternoon | Cloudy 34 |

Daily MW Generation On Tuesday
19-Nov-2013

| Station | Unit | 0000 | 0100 | 0200 | 0300 | 0400 | 0500 | 0600 | 0700 | 0800 | 0900 | 1000 | 1100 | 1200 | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 | 2100 | 2200 | 2300 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|-----|-----|------|------|------|------|
| Hydro | | 233 | 157 | 183 | 205 | 200 | 141 | 213 | 172 | 191 | 193 | 215 | 170 | 131 | 207 | 180 | 132 | 69 | 101 | 176 | 145 | 47 | 211 | 329 | 301 | 217 | 143 | 142 | 274 | 354 | 305 | 240 | 285 | 289 | 290 | 243 | 331 | 200 | 263 | 230 | 257 | 246 | 238 | 235 | 235 | 355 | 171 | 121 | 105 |
| S.Reserve Total | | 1115 | 1163 | 1147 | 1426 | 1537 | 1456 | 1776 | 1841 | 2037 | 1966 | 2053 | 1916 | 1905 | 1799 | 1787 | 1975 | 1370 | 1090 | 1223 | 985 | 973 | 904 | 745 | 603 | 601 | 754 | 743 | 695 | 695 | 756 | 837 | 1107 | 1095 | 1186 | 1283 | 1306 | 1343 | 1630 | 1166 | 1039 | 1189 | 1182 | 916 | 957 | 1073 | 1010 | 1178 | 1126 |