

**Availability At Daily Maximum Demand Hour**

ST-Coal	1,300 MW
ST-Gas	70 MW
ST-Oil	0 MW
Gas	3,585 MW
Hydro	1,819 MW
Distillate	200 MW
<b>Total TNB</b>	<b>6,974 MW</b>
<b>Total IPP</b>	<b>9,324 MW</b>
<b>Total Co-Gen</b>	<b>79 MW</b>
<b>System Total</b>	<b>16,377 MW</b>

**Set On Bus, TNB, IPP And MD**

At Daily Maximum Demand Hour : 16:30	
TNB Generation	5,440 MW
IPP Generation	8,804 MW
Total Set On Bus	15,272 MW
Maximum Demand	14,394 MW
Spinning Reserve	949 MW
Net Energy	304,929 MWH
Load Factor	88.3 %
Total Cost	58,985,832 RM
Cost per Unit	20.65 cents/kWH

**Maximum Demand Record**

<b>Date :</b>	13/05/2013	16,562.0 MW
<b>Date :</b>	25/06/2013	345,254.0 MWH

**Hourly System MW Generation**

	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300
System Total	12189	11557	11026	10854	10589	10741	10953	11117	11365	12704	13510	13949	13946	13535	13634	14392	14236	14168	13239	13200	14020	13808	13280	12835

**Gas Usage**

Station	(mmscfd)
CBPS	64
GLGR	65
PAKA	128
PGGS	7
PGPS	47
SRDG	87
TJGS	114
<b>TNB Total</b>	<b>512</b>
KLPP	121
MPSS	65
PDPS	45
PGLA	111
PKLG	28
PLPS	116
PTEK	32
SGB3	91
SGRI	196
SKSP	55
YPGS	70
YPKA	64
<b>IPP Total</b>	<b>994</b>
<b>Total Gas</b>	<b>1,506</b>
<b>Total Gas Required :</b>	<b>1,584</b>
<b>Gas Calorific Value :</b>	<b>38.500</b>

**Alternate Fuel Usage**

Station	(mmscfd)
PKLG	40
TJGS	38
<b>Total</b>	<b>78</b>

**Generation Mix**

Type	MWh	Percentage
ST-Coal	32,505.00	10.66 %
Gas	61,475.00	20.16 %
Hydro	18,555.00	6.09 %
Distillate	3,294.00	1.08 %
<b>Total TNB</b>	<b>115,829.0</b>	<b>37.99 %</b>
ST-Coal	56,671.0	18.58 %
ST-Gas	2,761.0	0.91 %
ST-Oil	3,927.0	1.29 %
Gas	123,020.0	40.34 %
<b>Total IPP</b>	<b>186,379.0</b>	<b>61.12 %</b>
Co-Gen	1,910.0	0.63 %
<b>Total Co-Gen</b>	<b>1,910.0</b>	<b>0.63 %</b>
<b>Total Generation</b>	<b>304,118.0</b>	<b>99.73 %</b>
PLTG	-113.0	-0.04 %
EGAT	-4.0	0.00 %
HVDC	-694.0	-0.23 %
<b>Interconnection</b>	<b>-811.0</b>	<b>-0.27 %</b>
<b>Net Energy</b>	<b>304,929.0</b>	<b>100.00 %</b>

**Average SR During Peak Hour**

Type	MW
GT	530
Hydro	210
Syncon	301
Thermai	3
<b>Total</b>	<b>1043</b>

	Weather	Temperature
Morning	Sunny	26
Afternoon	Hot	35





